



QNP-93PLUSD

3G/4G LTE ALLOVA PORTABLE RADIO WITH DISPLAY

Features

- Unlimited Talk Groups
- Unlimited Talk Range
- · GPS Tracking and Playback on QPatch dispatcher
- SOS for Emergency
- Man Down with SOS Features
- · Audio Recording and Playback on QPatch dispatcher
- Kill and Stun
- · Low Battery Warning
- · Remote Programming

Applications

- · Airports
- · Logistics
- · Mining & Construction
- Schools
- Security
- Government
- Hotels
- Hospitals
- Emergency Services

GENERAL SPECIFICATIONS

Dimension	160 x 62 x 41 mm (antenna included)
Weight	252g
Battery Capacity	4400mAh (6000mAh optional)
Standby Time	43h (Standard Battery) 50h (Optional Battery)
Working Time	18h (Standard Battery) 24h (Standard Battery)
Single Call Timeout	60 s
Working Voltage	3.7V
Max Output Power	23dBm
Receiving Sensibility	-106dBm
Audio Output Power	1.3W@10% distortion
Charger	5V 1A mini USB
Charing Current	900mA












- All specifications are subject to change without notice due to continuous development
- Complies with Australia / New Zealand RF standards







TECHNICAL SPECIFICATIONS

Frequency Range	FDD-LTE B2/B4/B12 WCDMA B2/B5 (North America T&T and T-Mobile)
	FDD-LTE B2/B4/B5/ B13 WCDMA B2/B5 (North America Verizon)
	FDD-LTE B2/B4/B5/B13 TDD-LTE B38/B40/B41 WCDMA B1/B5/B8 GSM 900/1800MHz (Europe/ Middle East/ Africa/ Korea/ Thailamd)
	FDD-LTE B1/B3/B8 TDD-LTE B38/B39/B40/B41 TD-SCDMA B34/B39 WCDMA B1/B8 GSM 900/1800MHz EVDO/ CDMA:BC0 (China)
	FDD-LTE B1/B3/B8/B18/B19/B26 (Japan)
Operating Temperature	-10°C ~ +50°C
Storage Temperature	-40°C ~ +70°C

GPS

Sensitivity	≤-130dB
Cold Start	≤1 minute
Warm Start	≤ 10 seconds
Horizontal Accuracy	≤ 10 metres

- All specifications are subject to change without notice due to continuous development
- Complies with Australia / New Zealand RF standards





QCOM (07) 3856 1513 | qcom.co

QNP-93PLUSDACCESSORIES

INCLUDED IN THE BOX





BATT-93



Belt Clip BC-93



Single Pocket Charger SPC1-93

OPTIONAL EXTRAS



Earhook Earpiece
TY100H-K1



Covert Surveillance Earpiece
CX2425-K2



<u>Two-Pin Swivel Earpiece</u> CX5027-K2



Remote Speaker Microphone TY02



6/12/18 Bay Charger MPC6R/12R/18R-93