

COMMERCIAL HEADSET



PO Box 29
Grange, QLD 4051



TEL: (07) 3856 1513



qcom.co

QCOM

RTRN-100A

COMMERCIAL HEADSET



FEATURES

- Over-the-head Style
- Flexible Boom Microphone
- Noise Reduction Rating: 24dB
- Speaker Impedence: 30 Ohms
- Comfortable Half Gel and Half Foam Ear Seals
- Suits various 5 pin XLR cables
- Available in Dual or Single Ear

APPLICATIONS

- Tourism
- Entertainment
- Restaurants
- Hotels
- Shopping Centres
- Government
- Police
- Security
- Airports
- Construction
- Hospitals

QCOM

(07) 3856 1513 | qcom.co



GENERAL SPECIFICATIONS

Operating Temperature	-20°C ~ 55°C
Storage Temperature	-25°C ~ 65°C
Microphone Type	Bidirectional electret microphone
Frequency Response	500Hz ~ 8KHz
Microphone Sensitivity (1kHz)	-46 ± 3dB
Speaker Impedance	157Ω (one speaker 300Ω, parallel connection)
Speaker Rated Power	40mW
Speaker Sensitivity	119 ± 3dB
Noise Reduction Rate	Max -24dB
Interface	Mini XLR 5 pin jack



- All specifications are subject to change without notice due to continuous development
- Complies with Australia / New Zealand RF standards



QCOM

(07) 3856 1513 | qcom.co

RTRN-100A

ACCESSORIES

SPARE PARTS



Foam Headpad
RT-HSPADF



Half Foam/ Gel Earpad
RT-HSF



Foam Cover for Speaker (Pair)
RT-HSCOVER



Electret mic
RT-ELM